L Number	Hits		DB	Time stamp
1	836		USPAT;	2004/06/24 10:00
		auto\$9 near4 (user)	EPO; JPO;	
			DERWENT;	
	_	//	IBM_TDB USPAT;	2004/06/24 09:58
2	9	((server or (service near3 provider)) near4 auto\$9 near4 (user)) with detect\$3	EPO; JPO;	2004/06/24 09:58
		Hear4 aucoss Hear4 (user); with detects	DERWENT;	
			IBM TDB	
3	1		USPĀT;	2004/06/24 09:58
		near4 auto\$9 near4 (user)) with (Disover\$3	EPO; JPO;	
:		or aware\$3) .	DERWENT;	
	154	antico mith (datante) an diagonome? an	IBM_TDB USPAT;	2004/06/24 10:01
4	154	auto\$9 with (detect\$3 or discover\$3 or aware\$3) with (server) with network	EPO; JPO;	2004/06/24 10:01
		awareys/ with (server) with hetwork	DERWENT;	
			IBM TDB	
_	1139	(auto\$9 near3 config\$7) and ((wide near3	USPĀT;	2004/06/23 14:00
		area near3 network) or WAN)	EPO; JPO;	
			DERWENT;	
	1 =	//outoco money configer, and //wide money	IBM_TDB USPAT;	2004/06/22 13:12
-	15	((auto\$9 near3 config\$7) and ((wide near3 area near3 network) or WAN)) and (auto\$9	EPO; JPO;	2004/00/22 13:12
		near3 detect\$7 near3 presence)	DERWENT;	
		Passass,	IBM TDB	
-	2003	709/220,221,222,250.ccls.	USPAT;	2004/06/22 13:12
			EPO; JPO;	
			DERWENT;	
_	543	709/220,221,222,250.ccls. and ((wide near3	IBM_TDB USPAT;	2004/06/22 13:39
_	545	area near3 network) or WAN)	EPO; JPO;	2004/00/22 13.39
		,,	DERWENT;	
		,	IBM_TDB	
-	106	1 , , , , , , , , , , , , , , , , , , ,	USPĀT;	2004/06/22 13:30
		near3 area near3 network) or WAN)) and	EPO; JPO;	
		(auto\$9 near3 config\$7)	DERWENT; IBM TDB	]
_	5	(709/220,221,222,250.ccls. and ((wide	USPAT;	2004/06/22 13:16
		near3 area near3 network) or WAN)) and	EPO; JPO;	
		(('T1' or phone) and (DSL or (digital near	DERWENT;	
		subscriber near line)) and ISDN and	IBM_TDB	
	27	wireless and analog) ((709/220,221,222,250.ccls. and ((wide	IICDAM.	2004/06/22 12:21
_	21	near3 area near3 network) or WAN)) and	USPAT; EPO; JPO;	2004/06/22 13:31
		(auto\$9 near3 config\$7)) and (type near3	DERWENT;	
		connection)	IBM_TDB	
-	1	((wide near3 area near3 network) or WAN)	USPAT;	2004/06/22 13:50
		and (detect\$3 near3 type near3 connection)	EPO; JPO;	
		and (auto\$9 near3 config\$7)	DERWENT; IBM TDB	
_	3286	((wide near3 area near3 network) or WAN)	USPAT;	2004/06/22 13:44
		and (application near3 server)	EPO; JPO;	
		,	DERWENT;	
			IBM_TDB	0004/05/55 55 5
-	16	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	USPAT;	2004/06/23 11:21
		<pre>and (application near3 server)) and (type near3 connection near3 available)</pre>	EPO; JPO; DERWENT;	
!		nears connection hears available;	IBM TDB	
- 1	32	((wide near3 area near3 network) or WAN)	USPAT;	2004/06/22 13:50
		same server same (control near3 center)	EPO; JPO;	
			DERWENT;	
		(nutoco nonza conficez) nonza nacco	IBM_TDB	2004/06/22 14:26
-	0	<pre>(auto\$9 near3 config\$7) near3 access near4 ((wide near3 area near3 network) or WAN)</pre>	USPAT; EPO; JPO;	2004/06/22 14:26
		("Tac hears area hears hetwork) or wan)	DERWENT;	
	l		IBM_TDB	
_	8	(auto\$9 near3 config\$7) near4 ((wide near3	USPĀT;	2004/06/22 13:56
		area near3 network) or WAN)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	

-	116095	Establish\$3 near3 (connect\$5 or	USPAT;	2004/06/22 14:26
		communic\$5)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	2224/25/22 14 22
-	348543	(Detect\$3 or discover or sense or	USPAT;	2004/06/22 14:29
		identify) near3 (device or connection)	EPO; JPO;	
			DERWENT;	
	10559	((Detect\$3 or discover or sense or	IBM_TDB USPAT;	2004/06/22 14:44
-	10559	identify) near3 (device or connection))	EPO; JPO;	2004/00/22 14:44
		and (Establish\$3 near3 (connect\$5 or	DERWENT;	
	1	communic\$5))	IBM TDB	
_	352	(((Detect\$3 or discover or sense or	USPAT;	2004/06/22 14:45
		identify) near3 (device or connection))	EPO; JPO;	
		and (Establish\$3 near3 (connect\$5 or	DERWENT;	
		communic\$5))) and (config\$7 near3	IBM_TDB	
		management)		0004405400 54 54
-	54	((((Detect\$3 or discover or sense or	USPAT;	2004/06/22 14:54
		identify) near3 (device or connection))	EPO; JPO;	
		and (Establish\$3 near3 (connect\$5 or communic\$5))) and (config\$7 near3	DERWENT; IBM TDB	
		management)) and (registration and	100-100	
		configuration and security)		
_	360		USPAT;	2004/06/22 15:13
		(registration and configuration and	EPO; JPO;	= 111, 30, 22 10.15
		security)	DERWENT;	
			IBM TDB	
-	51	auto\$9 with (registration and	USPAT;	2004/06/22 15:52
		configuration and security)	EPO; JPO;	
			DERWENT;	
	,		IBM_TDB	
-	2	(application near3 server) with (user	USPAT;	2004/06/23 11:23
		near3 config\$9 near3 security)	EPO; JPO;	
			DERWENT;	
	28	(application near3 server) same (config\$9	IBM_TDB USPAT;	2004/06/23 11:31
_	20	near3 security)	EPO; JPO;	2004/00/23 11.31
		nears security,	DERWENT;	
			IBM TDB	
_	72	(application near3 server) same (config\$9	USPAT;	2004/06/23 11:31
		with security)	EPO; JPO;	
			DERWENT;	
	†		IBM_TDB	
_	0	(application near3 server) same ((config\$9	USPAT;	2004/06/23 11:38
		near3 (data or information)) with	EPO; JPO;	
		(security near3 (data or information)))	DERWENT;	
_	8	(application near3 server) same ((config\$9	IBM_TDB USPAT;	2004/06/23 11:32
_	°	near3 (data or information)) same	EPO; JPO;	2007/00/23 11.32
	1	(security near3 (data or information)))	DERWENT;	
		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	IBM TDB	
-	6	(server) with user with ((config\$9 near3	USPAT;	2004/06/23 12:16
		(data or information)) with (security	EPO; JPO;	
		near3 (data or information)))	DERWENT;	
			IBM_TDB	
-	7	(application near3 server) with (user	USPĀT;	2004/06/23 12:27
		near3 (config\$9 near3 (data or	EPO; JPO;	
		information)))	DERWENT;	
_	621	   (application near3 server) with (security	IBM_TDB   USPAT;	2004/06/23 12:17
_	621	or firewall)	EPO; JPO;	2003/00/23 12.1/
		or reconder,	DERWENT;	
			IBM TDB	
_	2	((application near3 server) with (user	USPĀT;	2004/06/23 12:17
	_	near3 (config\$9 near3 (data or	EPO; JPO;	
	1	<pre>information))) ) and ((application near3</pre>	DERWENT;	
		server) with (security or firewall))	IBM_TDB	
-	96	(application near3 server) with (user	USPAT;	2004/06/23 13:16
		near3 config\$9)	EPO; JPO;	
	1		DERWENT;	
	1		IBM TDB	

			,	
-	9	((application near3 server) with (security	USPAT;	2004/06/23 12:27
		or firewall)) and ((application near3	EPO; JPO;	
		server) with (user near3 config\$9) )	DERWENT;	
l			IBM_TDB	0004/06/03 10 34
-	242	(application near3 server) with ((user or	USPAT;	2004/06/23 12:34
		client) near3 config\$9)	EPO; JPO;	
1			DERWENT; IBM TDB	
	47	((application near3 server) with (security	USPAT;	2004/06/23 12:34
-	4 /	or firewall)) and ((application near3	EPO; JPO;	2004/00/23 12:34
		server) with ((user or client) near3	DERWENT;	
1		config\$9) )	IBM TDB	
_	1642	(application near3 server) and (host near3	USPAT;	2004/06/23 14:35
		server)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	9	((application near3 server) and (host	USPAT;	2004/06/23 13:18
		near3 server)) and (auto\$9 with	EPO; JPO;	
		(registration and configuration and	DERWENT;	
		(security or firewall)))	IBM_TDB	
-	2227	709/220	USPAT;	2004/06/23 14:00
	}		EPO; JPO;	
			DERWENT;	
1_	247	709/220 and (autosa noor2 confice?)	IBM_TDB USPAT;	2004/06/23 14:01
-	347	709/220 and (auto\$9 near3 config\$7)	EPO; JPO;	2004/00/23 14:01
			DERWENT;	
	1		IBM TDB	
_	2	("5996073").PN.	USPAT;	2004/06/23 14:01
		( 33300/3 / 12111	US-PGPUB;	2001,00,20 11101
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	2	("5678041").PN.	USPĀT;	2004/06/23 14:30
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	0.5.0		IBM_TDB	0001/06/00 15 10
-	257	(application near3 server) with (config\$9	USPAT;	2004/06/23 15:48
		near3 (data or information))	EPO; JPO;	
			DERWENT; IBM TDB	
<u> </u>	63	((application near3 server) and (host	USPAT;	2004/06/23 14:37
_	05	near3 server)) and ((application near3	EPO; JPO;	2004/00/23 14.3/
		server) with (config\$9 near3 (data or	DERWENT;	
		information)))	IBM TDB	
-	63		USPAT;	2004/06/23 14:38
		near3 (data or information))) and (host	EPO; JPO;	
		near3 server)	DERWENT;	
			IBM_TDB	
-	75	, , , , , , , , , , , , , , , , , , ,	USPAT;	2004/06/23 16:16
		near3 (data or information))) and	EPO; JPO;	
		((service near3 provider) or (control	DERWENT;	
	0.0	near3 center))	IBM TDB	2004/06/22 16 66
-	24	'	USPAT;	2004/06/23 16:26
		server) with auto\$9	EPO; JPO; DERWENT;	
			IBM TDB	
_	1	((remote with (Authent\$9 or authori\$9)	USPAT;	2004/06/23 16:25
	1	with server) with auto\$9) with detect\$3	EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	9	((remote with (Authent\$9 or authori\$9)	USPĀT;	2004/06/23 16:21
		with server) with auto\$9) and detect\$3	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	7		USPAT;	2004/06/23 16:21
		with server) with auto\$9) and detect\$3)	EPO; JPO;	•
		and @ad<20010130	DERWENT;	
			IBM_TDB	

		1 ( /	USPAT;	2004/06/23 16:25
-	0	((remote with (Authent\$9 or authori\$9)		2004/06/23 16:25
		with server) with auto\$9) with (disover\$3	EPO; JPO;	
		or aware\$3)	DERWENT;	
			IBM_TDB	
-	23	(Authent\$9 or authori\$9) with server same	USPAT;	2004/06/23 16:51
		(auto\$9 with (Disover\$3 or aware\$3 or	EPO; JPO;	
		detect\$3))	DERWENT;	
			IBM TDB	
_	162	server with (auto\$9 with (Disover\$3 or	USPAT;	2004/06/23 16:53
		aware\$3 or detect\$3)) with (computer or pc	EPO; JPO;	
		or device)	DERWENT;	
			IBM TDB	
_	. 98481	(computer or pc or device) with (user with	USPAT;	2004/06/23 16:52
	. 50101	(data or information or profile))	EPO; JPO;	
		(data of information of profits)	DERWENT;	
			IBM TDB	
_	67	(server with (auto\$9 with (Disover\$3 or	USPAT;	2004/06/23 16:54
-	0,	aware\$3 or detect\$3)) with (computer or pc	EPO; JPO;	2004/00/25 10.54
		or device)) and ((computer or pc or	DERWENT;	
		1		
		device) with (user with (data or	IBM_TDB	
	10	information or profile)))	TIODAM.	2004/06/22 16 54
_	19		USPAT;	2004/06/23 16:54
		aware\$3 or detect\$3)) near4 (computer or	EPO; JPO;	
		pc or device)	DERWENT;	
			IBM_TDB	
-	9	(bolvel medil (ducot) medil (blbevelts of	USPAT;	2004/06/23 16:54
		aware\$3 or detect\$3)) near4 (computer or	EPO; JPO;	
		pc or device)) and ((computer or pc or	DERWENT;	
1		device) with (user with (data or	IBM_TDB	
		information or profile)))		